

**To:** 'Williams, Quinn L - DNR'[Quinn.Williams@wisconsin.gov]  
**Cc:** laura.kwilinski@dot.gov[laura.kwilinski@dot.gov];  
edward.lynch@wisconsin.gov[edward.lynch@wisconsin.gov]; Francis, Walt[francis.walt@epa.gov]  
**From:** lbenfield@foley.com  
**Sent:** Fri 3/3/2017 10:46:57 PM  
**Subject:** FW: CLCM Site Visits  
Sign-in 2.24.17.pdf  
Document List - Oak Creek 3 2 17.pdf  
Requested List of Records - St. Francis 2 28 17.pdf

This should do it. Now corrects Walt's email too - thanks!

Linda

-----Original Message-----

From: Benfield, Linda E.  
Sent: Friday, March 03, 2017 5:37 PM  
To: 'Williams, Quinn L - DNR'  
Cc: 'laura.kwilinski@dot.gov'; edward.lynch@wisconsin.gov; frances.walt@epa.gov  
Subject: FW: CLCM Site Visits

Resending to correct Laura's email address and so that you all have a correct email string.

Linda

-----Original Message-----

From: Benfield, Linda E.  
Sent: Friday, March 03, 2017 5:21 PM  
To: 'Williams, Quinn L - DNR'  
Cc: 'laurakwilinski@dot.gov'; 'edward.lynch@wisconsin.gov'; 'frances.walt@epa.gov'  
Subject: CLCM Site Visits

Quinn,

As you requested, I have attached as PDFs, the document requests from the Oak Creek and St. Francis visits. The list set forth below is the list we compiled during the Cornell Street visit.

I am copying Laura, Ed and Walt, who were identified at the Cornell Street visit as the key point of contact for their agencies, so that they can confirm that this is the list of documents they have requested from the Cornell facility. Request number 7 is for a copy of the sign in sheet, which is also attached.

1. Waste profiles for various waste streams.
2. SIC/NAICS code for the facility
3. Dunn and Bradstreet Number for the facility
4. BTU rating and gallon capacity of the three heaters in the facility
5. Confirmation that there is no stormwater/plumbing plan depicting drains etc. for the entire site
6. Full facility/site plan
7. Copy of sign-in sheet (attached)
8. List of inbound customers, any inbound customer paperwork

9. List of any hazardous material shipped out in the last two years, where any hazardous shipments are rerouted to someone else
10. The name of landlord and name of operator
11. Whether there were any chemical releases at the facility in the last three years

Please let us know if you have any questions.

Linda E. Benfield  
Foley & Lardner LLP  
777 E. Wisconsin Ave.  
Milwaukee, WI 53202

Phone: (414) 297-5825  
Fax: (414) 297-4900  
Cell: (414) 975-1445  
lbenfield@foley.com

The preceding email message may be confidential or protected by the attorney-client privilege. It is not intended for transmission to, or receipt by, any unauthorized persons. If you have received this message in error, please (i) do not read it, (ii) reply to the sender that you received the message in error, and (iii) erase or destroy the message. Legal advice contained in the preceding message is solely for the benefit of the Foley & Lardner LLP client(s) represented by the Firm in the particular matter that is the subject of this message, and may not be relied upon by any other party.